
HSE SOFTWARE

HIGHWAY SIGN STRUCTURAL ENGINEERING

FATIGUE LIMIT STATE

TECHNICAL BROCHURE

HSE SOFTWARE: FATIGUE LIMIT STATE © SAFI QUALITY SOFTWARE INC. ALL RIGHTS RESERVED.




FATIGUE LIMIT STATE IN SAFI HSE

Highway Sign Wizard	2
Editing Fatigue Parameters	4
Generating Fatigue Loads	5
Fatigue Load Combinations	9
Fatigue Limit States Results	10
Anchor Rods	12

The SAFI HSE software includes the fatigue limit states.

Here are some highlights about fatigue in the HSE software.



Highway Sign Wizard


A step has been added into the highway sign wizard so all fatigue parameters for the structure can be set here. The CAFT (Constant Amplitude Fatigue Threshold) or $(\Delta F)_{TH}$ for infinite life for the different fatigue detail categories are found in AASHTO LTS-13 (ASD) Table 11.9.3.1-1 and AASHTO LTS-15 (LRFD) Table 11.9.3.1-1.





Maximum threshold stress (\F) TH for connection detail	🔒 Default	
Jnaltered metal/Away from connection detail =	24	ksi	
Beam el	ements		
Diagonal attached to a beam chord =	1.2	ksi 🕨	
Beam chord at a diagonal attach =	4.5	ksi 🕨	
Beam splice plate =	4.5	ksi 🕨	
Beam seat =	4.5	ksi 🕨	
Column e	lements		
Diagonal attached to a support chord =	1.2	ksi 🕨	
Support chord at a diagonal attach =	4.5	ksi 🕨	
Support chord at a base plate =	4.5	ksi 🕨	
Pedestal splice plate =	4.5	ksi 🕨	
			< Pre

If you click on the **Default** button the $(\Delta F)_{TH}$ values will be set to typical values for the different connection details based on the AASHTO. These value **must be validated** by the user since some of the $(\Delta F)_{TH}$ depends on the connection details which are not known precisely by the program. The AASHTO LTS-13 (ASD) Cl. 11.9.3.1 and AASHTO LTS-15 (LRFD) Cl. 11.9.3.1 provide full information to compute $(\Delta F)_{TH}$.

The typical connection details for this structure are shown below:







Editing Fatigue Parameters

The **Highway Sign Wizard** auto assign these values when generating the model according to the input data. If the model has not been generated or after the model generation is done, the user can edit this table to change the fatigue parameters for the connection details for both ends of the member. This command is available only for AASHTO LTS et S6 code.


п	Dffsets Deflections Steel , D: M331	Aluminum L _{memb} = 4.041	82 ft	¥.
Name	e:	L _{phys} = 4.041	82 ft	×
🔽 Fatig	ue Parameters			
		Rending		
Fatigue P	Parameters			? <mark>×</mark>
	Memb	er Start		
V	Verify stress range for =	Fx+My	-	
Maxim	num threshold stress (ΔF) _{TH} =	4.5	ksi	
	Mem	ber End		
	Verify stress range for =		•	
V		4.5	ksi	
	num threshold stress (ΔF) _{TH} =			
	num threshold stress (ΔF) _{TH} =			
	num threshold stress (ΔF) _{TH} =			
	um threshold stress (ΔF) _{TH} =			ОК



Stress range for (Joint I or J)

The axial fatigue stress range at end I or J of the member is based on a combination of the axial force (Fx), the bending moment around the strong axis (Mx) and/or the bending moment around the weak axis (My). Depending on which part of the connection is affected by the connection detail, the calculated stress range Δf may consider Mx and/or My.

In the example below, 3 members are attached to the main chord. A connection at the end of member M1 only affects the stress range for a moment around the internal **y** axis of the chord. A connection at the end of member 3 only affects the stress range for a moment around the internal **z** axis of the chord. A connection at the end of member 2 affects the stress range for moments around the internal **y** and **z** axes of the chord.




$(\Delta F)_{TH}$ (Joint I or J)

The allowable stress range $(\Delta F)_{TH}$ depends on the fatigue sensitivity of the connection at end I or J of the member. This value can be set according to the connection detail. If the value is zero, the fatigue verification at this end of the member will be ignored.

Generating Fatigue Loads

The **Fatigue** load combinations are required to compute the equivalent static forces and stresses range due to cyclic loading. The fatigue resistance is specified in AASHTO LTS-15 LRFD clause 11.9 and AASHTO LTS-13 ASD clause 11.9.



Load Parameters	for AASHTO LTS-15 (LRFD)		
Region =	Mobile - Alabama - United-States		
Wind Mean Recurrence Interval =	1700 Years	•	
Directionality Coeff - Poles (Kd) =	0.95		
Directionality Coeff - Others (Kd) =	0.85		
Wind Velocity (No Ice) =	170	mph	
Wind Velocity (Ice) =	35	mph	
Wind Velocity (Service) =	80	mph	
Gust Factor (Cg or G) =	1.14		
Ice Thickness =	0.25	in	
Generation of Basic	Loads and Load Combinations		
Generate Loads and Combinations =			
Generate Fatigue Load Combinations =			
F	atigue Loads		
Fatigue Importance Factor $(I_F) =$	II - Other than Category I and III	-	
Wind Velocity (Yearly Mean) =	Automatic (11.2 mph)	mph	
Enable Galloping =			
Enable Natural Wind Gust =			
Enable Truck-Induced Gust =			
	Truck Data		
Truck Speed =	Automatic (65 mph)	mph	
X Position of Lane 1 (Start) =	4	ft	
X Position of Lane 1 (End) =	44.5	ft	
X Position of Lane 2 (Start) =	45	ft	ОК
	86	0	

This main option activates the input required for fatigue verification. Depending on the type of structures, the fatigue verifications (Galloping, Natural Wind Gust, Truck-Induced Gust) may be activated or not. The user have to check on the applicable fatigue loads according to its type of structure based on the requirements of the AASHTO LTS code.

Enable Galloping


Galloping results in large amplitude, resonant oscillations in a plane perpendicular to the direction of the wind. It is generally limited to sign/signal mast arms with attachments to the arm. Galloping is typically not caused by the support members, but rather by the attachments to the horizontal mast arms. Therefore, structures without attachments are not susceptible to galloping induced wind load effects.

The galloping force is based on the frontal projected area of each sign panel, traffic signal head including back plate, and all other devices attached to the mast arm. The galloping force is **not** applied to the projected area of the arm or the pole members. The galloping force is applied in the vertical direction.



The software applies the galloping force for all sign panels at the same time. In case of cantilever arms both sides of an individual vertical support, this procedure is not adequate.

Please refer to AASHTO LTS-13 ASD clause 11.7.1.1 or AASHTO LTS-15 LRFD art 11.7.1.1 for more information.




Enable Natural Wind Gust

Natural wind gust stresses result from the inherent variability in the direction and velocity of the wind induced airflow around the structure. Natural wind gusts are the most basic phenomena that may induce cyclic loads in lighting and traffic structures. It is generally applied to cantilevered and non-cantilevered overhead sign and overhead traffic signal supports.

The Natural Wind Gust is applied in the horizontal direction for all wind directions.

Please refer to AASHTO LTS-13 ASD clause 11.7.1.2 or AASHTO LTS-15 LRFD art 11.7.1.2 for more information.




Enable Truck-Induced Gust

Truck-induced gust loads are caused by the passage of trucks under traffic structures. These gusts of wind are caused by moving trucks and create both horizontal and vertical pressure on the structure. The vertical mast arm vibration results in the most critical stresses and therefore only the vertical pressures are evaluated. It is generally applied to cantilevered and non-cantilevered overhead sign and overhead traffic signal supports.

The truck gust force should be applied in the vertical direction, to the horizontal plane (bottom projected area), along any 12' length of the mast arm. The pressure shall also be applied to the horizontal area of each traffic signal head, sign panel, and all other devices located within that 12' length of the mast arm, to create the maximum stress range.

Please refer to AASHTO LTS-13 ASD clause 11.7.1.3 or AASHTO LTS-15 LRFD art 11.7.1.3 for more information.






Fatigue Load Combinations


The fatigue limit state is the ratio of the axial stress range (Δf) due to fatigue load divided by the allowable stress range (ΔF)_{TH}. It is computed only for **Fatigue** load combinations.

Table	Commands	<u>V</u> iew			
_] &	- 🖪 🖬 I	_ ⊾ 3= ≱> 🖬 🔛 AA 🍇	€.0 .00 0.€ 00.	P P	
0 57	Combination ID	Combination Name	Enabled	Combination Type	De
	401	Fatigue I, GVW	V	Fatigue 💌	
	402	Fatigue I, NWG, Wz	V	Fatigue 💌	
	403	Fatigue I, NWG,-Wz	V	Fatigue 💌	
	404	Fatigue I, NWG, Wx	~	Fatigue 💌	
	405	Fatigue I, NWG,-Wx	~	Fatigue 💌	
	406	Fatigue I, NWG, 0.75(Wz+Wx)	~	Fatigue 💌	
	407	Fatigue I, NWG, 0.75(Wz-Wx)	~	Fatigue 💌	
	408	Fatigue I, NWG, 0.75(-Wz+Wx)	~	Fatigue 💌	
	409	Fatigue I, NWG, 0.75(-Wx-Wz)	~	Fatigue 💌	
	410	Fatigue I, TG 1	~	Fatigue 💌	
	411	Fatigue I, TG 2	V	Fatigue 💌	
	412	Fatigue I, TG 3	~	Fatigue 💌	
	413	Fatigue I, TG 4	V	Fatigue 💌	
	414	Fatigue I, TG 5	~	Fatigue 💌	



Fatigue Limit States Results

The following image corresponds to the fatigue limit state for the worse load combination.



HSE SOFTWARE: FATIGUE LIMIT STATE © SAFI QUALITY SOFTWARE INC. ALL RIGHTS RESERVED.



Limit states at divisions allows to see the fatigue limit states at both ends and along the member, as shown below.

	X Axis	Position								M	emb ID: 🚺	1101	▼ 🐺	🤡 Settin
	Y Axis:	Fatigue		-	- -					Phys	Memb: 2	9	•	Repor
oad C	ombination	Envelope		•	i.						_			
0 11	Position ft	Maximum	Compression	Tension	Bending	Compression Bending	Tension Bending	Shear	Torsion	Warping	Bearing	Deflection		Print
	0.0000	0.4964	0.2811	0.1837	0.2877	0.4964	0.2887	0.0997	0.0618				0.29	A Interp
	0.1000	0.4934	0.2810	0.1837	0.2846	0.4934	0.2860	0.0997	0.0618				0.05	
	0.2000	0.4905	0.2810	0.1837	0.2815	0.4905	0.2833	0.0996	0.0618				0.05:	
	0.3000	0.4876	0.2810	0.1837	0.2785	0.4876	0.2807	0.0996	0.0618				0.05:	
	0.4000	0.4848	0.2810	0.1837	0.2754	0.4848	0.2780	0.0996	0.0618				0.05	
	0.5000	0.4819	0.2810	0.1837	0.2724	0.4819	0.2754	0.0995	0.0618				0.05	
•	0.6000	0 4790	0.2810	0 1837	0.2693	0 4790	0 2727	0.0995	0.0618				0.05	
Fatigue	0.3. 0.2913 0.25 0.2 0.15 0.1 0.1										0.05	0.2032	· · · · · · · · · · · · · · · · · · ·	
4	0.05.	0.1	0.2	0.3	0.	4 0.5 Positior		0.6	0.7	0.8	0.	9	1	<u>C</u> lose Help


The fatigue limit state is the ratio of the axial stress range (Δf) due to fatigue load divided by the allowable stress range (ΔF)_{TH}. These values can be verify at member Joint I and J, as well as along the member.

able	Comm	nands	<u>V</u> iew <u>S</u> elec	tion															
18	3	b I	}÷ ≱	I II AA 🕼 18 28 🗣 🛡		1													
0 8	Phys Memb	Memb ID	Section Name	Comb ID	Stress range for Joint I		(∆F) _{TH} Joint I (ksi)	FLS Joint I	Stress range for Joint J	(∆f) Joint J (ksi)	(∆F) _{TH} Joint J (ksi)		(∆f) Memb (ksi)	(∆F) _{TH} Memb (ksi)	FLS Memb	Rel crit position	FLS	Notes	
	29	101	HSS12.75x3/8	402 - Fatigue I, NWG, Wz	Fx+My+Mz	1.0616	4.5000	0.2359	Fx+My	0.9143	4.5000	0.2032	1.0616	24.0000	0.0442	0.0000	0.2359		
	29	101	HSS12.75x3/8	403 - Fatigue I, NWG,-Wz	Fx+My+Mz	1.0611	4.5000	0.2358	Fx+My	0.9143	4.5000	0.2032	1.0611	24.0000	0.0442	0.0000	0.2358		
	29	101	HSS12.75x3/8	404 - Fatigue I, NWG, Wx	Fx+My+Mz	0.9406	4.5000	0.2090	Fx+My	0.0039	4.5000	0.0009	0.9406	24.0000	0.0392	0.0000	0.2090		
	29	101	HSS12.75x3/8	405 - Fatigue I, NWG,-Wx	Fx+My+Mz	0.9406	4.5000	0.2090	Fx+My	0.0038	4.5000	0.0008	0.9406	24.0000	0.0392	0.0000	0.2090		
	29	101	HSS12.75x3/8	406 - Fatigue I, NWG, 0.75(Wz+Wx)	Fx+My+Mz	1.0336	4.5000	0.2297	Fx+My	0.6829	4.5000	0.1517	1.0336	24.0000	0.0431	0.0000	0.2297		
	29	101	HSS12.75x3/8	407 - Fatigue I, NWG, 0.75(Wz-Wx)	Fx+My+Mz	1.3108	4.5000	0.2913	Fx+My	0.6886	4.5000	0.1530	1.3108	24.0000	0.0546	0.0000	0.2913		
	29	101	HSS12.75x3/8	408 - Fatigue I, NWG, 0.75(-Wz+Wx)	Fx+My+Mz	1.3100	4.5000	0.2911	Fx+My	0.6886	4.5000	0.1530	1.3100	24.0000	0.0546	0.0000	0.2911		
	29	101	HSS12.75x3/8	409 - Fatigue I, NWG, 0.75(-Wx-Wz)	Fx+My+Mz	1.0326	4.5000	0.2295	Fx+My	0.6829	4.5000	0.1517	1.0326	24.0000	0.0430	0.0000	0.2295		



Anchor Rods

The command **Highway Sign Anchorages** allows to define the input data for the anchorages.



The anchorage resistances and limit states are computed according to the following clauses according to the selected standard.

- AASHTO LTS-15 (LRFD) clause 5.16.3
- AASHTO LTS-13 (ASD) clauses 5.17.4.1 to 5.17.4.3

.

The fatigue verification for the anchorage rods is also computed according to the specified allowable stress range $(\Delta F)_{TH}$.

ble	Comn	nands	View	Selection																							
	1 (2)	De ult	18 2		laa A	of Laur	nn i sta	In Lan																			1
9 K					<i>m</i> a	38 165		- V 🔤																			
0 62	Joint ID	Nb Anchors		Net Area in.2	Tr kips	Cr kips	Vr kips	Mr kip-ft	Comb ID	Joint FX (kips)	Joint FY (kips)	Joint FZ (kips)	Joint MX (kip-ft)	Joint MY (kip-ft)			Tf or Cf kips	Vf kips	(∆f) ksi	(∆F) _{TH} ksi	Fatigue	ULS Tf/Tr or Cf/Cr	ULS Vf/Vr	ULS Combined	ULS	Notes	*
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	37 - Extreme I, DLmax+0.75(-Wxi-Wzi)	-0.7890	-10.0451	0.2311	1.2938	-0.0526	6.6479	3	-6.2550	0.2145				0.0633	0.0035	0.0040	0.0633		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	201 - Service I, DL+Wz	-0.5561	18.5544	-1.3643	-6.8810	2.3099	3.9703	2	9.7539	0.9739				0.0987	0.0157	0.0100	0.0987		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	202 - Service I, DL-Wz	-0.8953	-29.1091	1.3965	7.2812	-1.8887	8.7184	3	-14.8196	0.6758				0.1500	0.0109	0.0226	0.1500		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	203 - Service I, DL+Wx	-1.3907	-5.4136	0.0241	0.2102	0.3057	14.0420	3	-8.0719	0.2865				0.0817	0.0046	0.0067	0.0817		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	204 - Service I, DL-Wx	-0.0632	-5.1539	0.0230	0.2025	0.1184	-1.3635	2	-2.0267	0.0253				0.0205	0.0004	0.0004	0.0205		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	205 - Service I, DL+0.75(Wz+Wx)	-1.1070	12.4996	-1.0157	-5.1056	1.8567	10.3613	2	10.4161	0.7100				0.1054	0.0114	0.0112	0.1054		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	206 - Service I, DL+0.75(Wz-Wx)	-0.0921	12.6929	-1.0167	-5.1121	1.7153	-1.2264	3	6.1612	0.4098				0.0624	0.0066	0.0039	0.0624		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	207 - Service I, DL+0.75(-Wz+Wx)	-1.3421	-23.2496	1.0547	5.5153	-1.2932	13.8887	3	-14.9595	0.6416				0.1514	0.0103	0.0230	0.1514		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	208 - Service I, DL+0.75(-Wx-Wz)	-0.3657	-23.0533	1.0542	5.5103	-1.4327	2.3682	3	-9.4773	0.4355				0.0959	0.0070	0.0092	0.0959		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	209 - Service II DL	-0.7262	-5.2837	0.0235	0.2064	0.2119	6.3287	3	-4.4016	0.1429				0.0445	0.0023	0.0020	0.0445		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	210 - Service II DL+Ice	-0.8454	-6.0529	0.0268	0.2367	0.2468	7.3693	3	-5.0987	0.1664				0.0516	0.0027	0.0027	0.0516		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	401 - Fatigue I, GVW	0.5017	3.4057	-0.0102	-0.1364	-0.1753	-4.2917	3	2.9389	0.0949	2.0913	7.0000	0.2988				0.2988		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	402 - Fatigue I, NWG, Wz	0.0521	6.9201	-0.4019	-2.0566	0.6101	-0.6912	3	3.0253	0.1627	2.1529	7.0000	0.3076				0.3076		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	403 - Fatigue I, NWG,-Wz	-0.0517	-6.9195	0.4007	2.0559	-0.6104	0.6889	3	-3.0238	0.1628	2.1518	7.0000	0.3074				0.3074		III
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	404 - Fatigue I, NWG, Wx	-0.2820	-0.0474	0.0002	0.0015	0.0229	3.0533	3	-1.4519	0.0653	1.0332	7.0000	0.1476				0.1476		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	405 - Fatigue I, NWG,-Wx	0.2820	0.0469	-0.0002	-0.0013	-0.0229	-3.0534	3	1.4517	0.0653	1.0331	7.0000	0.1476				0.1476		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	406 - Fatigue I, NWG, 0.75(Wz+Wx)	-0.1736	5.1548	-0.3011	-1.5413	0.4748	1.7747	2	2.8519	0.1993	2.0295	7.0000	0.2899				0.2899		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	407 - Fatigue I, NWG, 0.75(Wz-Wx)	0.2516	5.2254	-0.3015	-1.5435	0.4404	-2.8089	3	3.3581	0.1691	2.3897	7.0000	0.3414				0.3414		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	408 - Fatigue I, NWG, 0.75(-Wz+Wx)	-0.2493	-5.2251	0.3008	1.5430	-0.4407	2.8062	3	-3.3565	0.1686	2.3886	7.0000	0.3412				0.3412		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	409 - Fatigue I, NWG, 0.75(-Wx-Wz)	0.1716	-5.1542	0.3005	1.5409	-0.4749	-1.7702	2	-2.8494	0.1994	2.0277	7.0000	0.2897				0.2897		
	101	4	1.7671	1.4052	98.8065	98.8065	62.1563	1.5419	410 - Fatique I. TG 1	0.0141	0.1750	-0.0009	-0.0070	-0.0028	-0.1026	3	0.0954	0.0030	0.0679	7.0000	0.0097				0.0097		-